

STEELE FIRE APPARATUS

Haskell Texas

1-800-687-7639



Bill Steele Page 1 10/26/2011

Proposal For Sonora VFD

Steele Fire Apparatus appreciates the opportunity to offer this proposal. We are very interested in meeting your needs and requirements for this Small Brush Truck. Below are the specifications we offer in this proposal.

Body

The body will be a flat bed walk around design 8'x12' in size.

The bed will be made of 4" channel iron on top of the truck frame with 4" channel cross runners with 1/8" steel plate for the top of the bed.

The 1/8" plate will also form the sides of the truck bed.

The body will have a headache rack and a rail 42" tall covered with expanded metal on the out side for firefighter protection.

The top of the bed and tailboard will have a spray on bed liner for a non slip surface.

One compartment under the body on the passenger's side of the body.

All DOT lights will be LED's.

Tank

The tank will have 300 gallons of water made by Plas-Mac INC. and will carry a lifetime warranty. **Changed to 300 gallon on 5-23-11 by Carl**

The water tank will be baffled according to NFPA guidelines and will be made using 1/2" poly sheets.

STEELE FIRE APPARATUS

Haskell Texas

1-800-687-7639



Bill Steele Page 2 10/26/2011

Pump

The pump will be a Hale HPX200-B18 fire pump with the capability of pumping up to 250 gpm or pressure up to 160 psi.

It will be powered by an 18 hp Briggs & Stratton gasoline motor with electric start. There will be an exhaust primer for drafting.

The pump will supply a Stainless Steel manifold with the following discharges.

1-1 1/2" the front of the tank with two 1" whip lines 10' long

1-2 1/2" discharge to the rear of the bed

1-1 1/2" discharge to the rear of the bed

2-1' connections at the rear of the bed

1- 1 1/2" to the front bumper for the bumper nozzles

1-1" to the hose reel

Control panel for the pump will be at the front of the tank.

Hose Reel

A Hannay hose reel #EF4038-17-18 will be installed on the truck with 100' of 1" booster hose. Added on 5-23-11 by Carl

Replacement Bumper

The truck will have a full replacement bumper and grill guard.

Bumper Nozzles

Two bumper nozzles will be installed in the front bumper of the truck and controlled by switches in the cab. Added on 5-23-11 by Carl

Skid Plates

There will be two skid plates installed under the truck to protect the under side of the truck.

There will be one from the front bumper to the front axle and the second plate will go from the front axle to behind the transfer case.

STEELE FIRE APPARATUS

Haskell Texas

1-800-687-7639



Bill Steele Page 3 10/26/2011
Electrical

The truck will have a Code 3 21 TIR Led light bar mounted on the headache rack, and twelve LED warning lights around the truck controlled by a switch in the cab.

There will also be one (1) work lights at the rear of the bed over pump panel.

There will be 100 watt Carson 1002 siren & speaker.

Delivery

Delivery will be made approximately 120 days after receipt of the tank and equipment in our shop.

Terms of payment are **NET ON DELIVERY**, unless otherwise stated.

Due to the daily rise of cost in materials this proposal shall expire unless accepted within 25 days after the date set above. This expiration date may be extended, in writing, at the discretion of Steele Fire Apparatus.

STEELE FIRE APPARATUS

By:

Bill Steele

STEELE FIRE APPARATUS
806 NORTH FIRST STREET EAST
HASKELL, TEXAS 79521
1-800-687-7639

Signatures: Bill Steele

Fire Chief or authorized Representative:

Bill Steele or authorized Representative:

Bill Steele